

Table 8. Diabetes, Combined Years 1989-1994

These are estimated percentages of adults (age 18+) who have ever been told by a doctor that they have diabetes (not including women who were told this only when pregnant). Percentages were estimated by aggregating data from interviews conducted from 1989 to 1994.

	Percent Estimate	95% Confidence Interval (+/-)	Number of Respondents
WISCONSIN	4%	0	8,475
Male	4	1	3,835
Female	4	1	4,640
18-24	<1	0	899
25-44	2	0	3,958
45-64	6	1	2,004
65+	11	1	1,614
SOUTHERN REGION	3%	1	1,802
Male	4	1	823
Female	3	1	979
18-24	1	1	203
25-44	2	1	845
45-64	5	2	450
65+	7	3	304
Counties			
Dane	2	1	696
Rock	3	2	265
County Groups			
a) Adams, Juneau, Sauk	3	3	169
b) Crawford, Grant, Iowa, Lafayette, Richland, Vernon	4	2	286
c) Dodge, Jefferson	7	3	254

continued

Table 8. Diabetes, Combined Years 1989-1994 (continued)

	Percent Estimate	95% Confidence Interval (+/-)	Number of Respondents
SOUTHEASTERN REGION	4%	1	2,987
Male	4	1	1,315
Female	5	1	1,672
18-24	0	—	341
25-44	1	1	1,403
45-64	6	2	715
65+	12	3	528
Counties			
Kenosha	4	3	178
Milwaukee	5	1	1,741
Ozaukee	2	3	108
Racine	5	3	250
Walworth	8	5	118
Washington	6	4	132
Waukesha	2	1	460
NORTHEASTERN REGION	4%	1	1,831
Male	4	1	844
Female	5	1	987
18-24	0	—	181
25-44	2	1	878
45-64	6	2	413
65+	12	3	359
Counties			
Brown	5	2	332
Fond du Lac	2	2	178
Manitowoc	4	3	144
Outagamie	5	3	233
Sheboygan	5	3	176
Winnebago	2	2	253
County Groups			
a) Door, Calumet, Kewaunee, Marinette, Oconto, Shawano	5	2	344
b) Green Lake, Marquette, Waupaca, Waushara	8	4	167

continued

Table 8. Diabetes, Combined Years 1989-1994 (continued)

	Percent Estimate	95% Confidence Interval (+/-)	Number of Respondents
WESTERN REGION	4%	1	1,033
Male	5	2	467
Female	4	2	566
18-24	2	3	111
25-44	1	1	453
45-64	7	4	225
65+	9	3	244
Counties			
Eau Claire	4	3	146
La Crosse	6	4	175
County Groups			
a) Barron, Burnett, Chippewa, Clark, Dunn, Pierce, Polk, Rusk, St. Croix, Washburn	5	2	560
b) Buffalo, Jackson, Monroe, Pepin, Trempealeau	1	2	152
NORTHERN REGION	5%	1	822
Male	5	2	386
Female	5	2	436
18-24	*	*	63
25-44	1	1	379
45-64	5	3	201
65+	15	5	179
Counties			
Marathon	2	2	164
Wood	8	4	136
County Groups			
a) Ashland, Bayfield, Douglas, Iron, Vilas	5	3	173
b) Florence, Forest, Langlade, Lincoln, Oneida, Portage, Price, Sawyer, Taylor	5	2	349

* Estimates and confidence intervals not provided due to insufficient sample size (<100).

---- Unable to calculate

Note: Confidence intervals of 0 on this table should be interpreted as intervals of less than one-half of one percent.

Source: Wisconsin Behavioral Risk Factor Survey, combined data from 1989-1994,
Center for Health Statistics.

11/95